of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Testing Instruments required for Government Electric Factory, Bangalore" with the above enquiry number.

This enquiry will be closed on the 20th February 1952.

SCHEDULE.

| | F.O.R., Bangalore | Quantity required Nos. |
|---|---|---|
| I. WATTMETERS :— | | |
| (a) Portable Laboratory type 3 phase for use on 50 cycles of— Watts Range 0-20,000, Volts Range 250-500-1000 and Amps Range 5/10. | | Two |
| (b) Portable Laboratory type single phase for use on 50 cycles of— Watts Range 0-8000, Volts Range 200-400-800 and Amps Range 5/10. | | Three |
| II. AMMETERS :— | | |
| (a) Protable Laboratory type for use on 50 cycles sub-standard accuracy of Range 0-100 Amps. | | One |
| (b) Portable Laboratory type for use on 50 cycles Fitst Grade accuracy— | | |
| (1) of Range 0-1, 2, 5 Amps ... ... | | Three |
| (2) Do 0-5, 20, 50 Amps ... ... | | Do |
| (3) Do 0-10, 40, 100 Amps ... ... | | Do |
| III. VOLTMETERS :— | | |
| (a) Portable Laboratory type for use on 50 cycles, sub-standard accuracy of Range 0-450 Volts. | | One |
| (b) Portable Laboratory type for use on 50 cycles, First Grade accuracy of range— | | |
| (1) 0-15, 30 Volts ... .. | | Two |
| (2) 0 50, 100, 150 Volts ... ... | | Do |
| (3) 0-150, 300, 450 Volts ... ... | | Do |
| (4) 0-200, 400, 600 Volts ... ... | | Do |

N.B.—1. Quotations to be submitted in duplicate.
2. Prices quoted should hold good for period of 45 days from the date of closing of the tender.
3. Sales-tax if applicable should be specified separately in the quotations.
4. Descriptive literature, pamphlets and other technical data should accompany the quotation.
5. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.
6. No enancement of rates will be allowed after acceptance of the tender.

7166

Dated 29th January 1952.

To

The Firms dealing in Testing Instruments.

*Enquiry No.* 10831.

*Subject* :—Testing Instruments required for the Transformer Laboratory at Government Electric Factory.

Gentlemen,

**No. S.P.C. 48993-9015.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Testing Instruments required for the Government Electric Factory, Bangalore" with the above enquiry number.

This enquiry will be closed on 29th February 1952.

SCHEDULE.

| | F.O.R., Bangalore | Quantity No. |
|---|---|---|
| 1. Ratio Meter for Testing Voltages of 125, 250 or 2,000 suitable for single phase 250 volts, 50 cycle supply for accurate r tio tests of Auto. and double wound Transformers for ratio from 1·5/1 up to 1000/1. Resistance Bridge (combined measuring Bridge) for determing Ohmic Resistances :— | | One |
| (a) According to the Wheats n circuit from 1-100,000 ohms. | | |
| (b) According to Thomson circuit from 0·001-1 ohm, | | |
| (c) Capacities according to 'Wiens' method from 0·001 to 1 Microfarads, and | | |
| (d) Industances according to Maxwells method from 0·00001 to 10 Henreys ... ... | | One |

N. B.—1. Quotations to be submitted in duplicate.
2. Prices quoted should hold good for a period of 45 days from the date of closing of the tender.
3. Sales-tax if applicable should be specified separately in the quotations.
4. Descriptive literature, pamphlets and other technical data should accompany the quotations.
5. Quotations will be opened at 2 p.m on the next working day after the closing date of the enquiry.
6 No enhancement of rates will be allowed after acceptance of the tender.

7165a

Dated 30th January 1952.

To

The Firms dealing in Rosin.

*Enquiry No.* 10806.

*Subject* :—Supply of Rosin to the Government Soap Factory, Bangalore.

Gentlemen,

**No. S.P.C. 49015-30.** Further to this office circular No. 46517-32, dated 22nd January 1952, it may be noted that the closing date of the above enquiry has been extended to 7th February 1952 from 30th January 1952.

7186

Dated 30th January 1952.

To—The Firms dealing in Stationery Articles.

*Enquiry No.* 10836.

*Subject.*—Blotting Paper.

Dear Sir/Gentlemen,

**No. S.P.C. 48471-91.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchrse Committee reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotation for Blotting Paper with the above enquiry number.

This enquiry will be closed on the 11th February 1952.

SCHEDULE.

| Item No. | Description of material offered | Quantity | Price quoted F.O.R. Bangalore |
|---|---|---|---|
| | Boltting paper, Demy 17½"×22½"— 38 lbs. pink or white preferably of Indian manufacture. | 50 reams | |

*Note.*—1. Sample paper should accompany your quotation.
2. Sales-tax should be shown separately.
3. Quotations for supply from stocks will be preferred.

7211a

Dated 31st January 1952.

To

The Firms dealing in Handloom Accessories.

*Enquiry No.* 10840.

*Subject* :—Handloom Accessories to the Industries and Commerce Department.

Gentlemen,

**No. S.P.C. 49307-322.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Handloom Accessories to the Industries and Commerce Department" with the above enquiry number.

This enquiry will be closed on the 25th February 1952.